

Clip and save
for career-long reference

The 1984 Index to Materials Performance

A guide to Materials Performance, Volume 23, 1984

MP by month and title

JANUARY

- Editorial: Editors in Transition,
L. C. Rowe 7
- Corrosion Problems in the Pulp and Paper Industry,
D. C. Bennett 9
- Use of Nonmetal Materials of Construction in Pulp Mills, T. F. Anderson, R. C. Flynn, K. J. Oswald, E. J. Wolf 13
- Evaluation of High Performance Alloys Used in the Pulp and Paper Industry, P. E. Manning, W. F. Tuff, R. D. Zordan, P. D. Schuur 19
- Nondestructive Testing of Continuous Digesters, R. A. Baker 25
- Economic Evaluation of Corrosion Control, T. R. B. Watson 29
- Controlling BWR Pipe Cracking at Welds by Residual Stress Modification, J. D. Gilman, A. J. Giannuzzi, W. J. Childs 34
- Methods for Determining Current Requirements for Cathodic-Protection of Well Casings—A Review, B. Husock 39
- High Performance Alloys for Offshore Platform Process Piping, C. S. Schillmoller, M. R. Jasner 45

FEBRUARY

- Editorial: Words! Words! Words!, L. C. Rowe 7
- Maintenance Painting of Steel in Manufacturing Plants, T. G. Edwards 9
- Influence of Biofilms on Efficacy of Biocides on Corrosion-Causing Bacteria, J. W. Costerton, E. S. Sashen 13
- Corrosion Above the Water Surface in Wastewater Facilities, J. H. Rigdon 18
- Characterization of Graphitic Corrosion Residue of Cast Iron in a Water Distribution System, P. R. Bloom, O. H. Tuovinen 21
- Electrochemical Measurement of the Crevice Corrosion Propagation Resistance of Stainless Steels: Effect of Environmental Variables and Alloy Content, R. M. Kain 24
- Zinc Coated Abrasive for Surface Preparation of Steel Lengthens Rust-Free Period, P. J. Robinson 31
- NACE Standard TM-01-84: Test Method—

Accelerated Test Procedures for Screening Atmospheric Surface Coating Systems for Offshore Platforms and Equipment 37

MARCH

- Editorial: Why Attend the NACE Annual Conference?, L. C. Rowe 7
- Casing Corrosion in the South Belridge Field, B. A. Gordon, W. D. Grimes, R. S. Treseder 9
- The Effects of Exposure Conditions on the Corrosion of Mild Steel, Copper, and Zinc in Seawater, M. H. Peterson, T. J. Lennox Jr. 15
- Chemical Resistant Bonded Thermoset Linings for Concrete or Steel Equipment, L. E. Hunt, J. A. Rolston 19
- Minimizing the Deleterious Effects of Oil Leakage in Cooling Water Systems, R. J. Franco 23
- Mechanism of Anaerobic Corrosion of Steel by Sulfate Reducing Bacteria, W. P. Iverson 28
- The Coating of High Strength Low Alloy Steels for Service in Polluted Atmospheres, A. S. Storad 31
- Investigations of Corrosion Related Failures in Electronic Systems, B. Dobbs, G. Slenski 35
- Investigations of Corrosion Related Failures in Electronic Systems, R. A. Gummow 39
- Guidelines for Corrosion Control of Direct Buried Concentric Neutral Cables, J. A. Hanck, G. Nekoksa 43

APRIL

- Editorial: Acid rain—Where do we stand?, L. C. Rowe 7
- Electrical Resistance Stability of Chemical Films on Aluminum, M. E. Farmer, J. D. Guttenplan 9
- Microbiologically Influenced Corrosion of Industrial Alloys, D. H. Pope, D. J. Duquette, A. H. Johannes, P. C. Wayner 14
- Avoiding Pitfalls in the Selection and Application of Protective Coatings, J. Lichtenstein 19
- Detection of Hydrogen Generated by Corrosion Reactions Using a Solid Electrolyte Probe, S. B. Lyon, D. J. Fray 23
- The Results of Monitoring Platform

- Ellen Cathodic Protection for Two Years, A. D. Goolsby 26
- Case Studies of Prediction and Mitigation of Induced AC Voltages on Pipelines, S. J. Croall, W. G. Hurley 30
- Conservation of Critical Materials with Clad Metal Systems, R. Babolian 34
- Intergranular Stress Corrosion Cracking of Sensitized 321 SS Tube Exposed to Polythionic Acid, H. Nishida, K. Nakamura, H. Takahashi 38
- Corrosion Resistant Design Guidelines for Portland Cement Concrete, C. Hahin 42
- Galvanic Corrosion of Metals Coupled to Carbon Black-Filled Polyethylene, G. Schick 47

MAY

- Editorial: High Technology, L. C. Rowe 7
- NACE Standard TM-02-84—Test Method: Evaluation of Pipeline Steels for Resistance to Stepwise Cracking 9
- SACROC CO₂ Project—Corrosion Problems and Solutions, L. E. Newton, Jr. 17
- Corrosion Monitoring with Hydrogen Probes in the Oilfield, W. H. Thomason 24
- HIP Clad Nickel Base Alloy 625 for Deep Sour Wells, W. K. Uhl, M. R. Pendley 30
- pH Measurements Under High Pressures of CO₂ and H₂S, J. L. Crolet, M. R. Bonis 35
- Corrosion Monitoring in Enhanced Oil Recovery Systems, H. M. Hilliard, T. Jordan, D. Ronat 43
- A New Probe for On-Line Corrosion Monitoring, M. J. Robinson, J. E. Strutt, J. A. Richardson, J. C. Quale 46
- Cathodic Protection of Wastewater Treatment Equipment, P. Kaiser 50

JUNE

- Editorial: Fundamental Research vs Practical Engineering, L. C. Rowe 7
- 1983 Speller Award Lecture: Corrosion Problems in Light Water Nuclear Reactors, Warren E. Berry 3
- Ceramic Coated Anode for Cathodic Protection, A. Kumar, E. G. Segar, J. Bukowski 24
- The Effect of Process Variables on Hot Corrosion in Fluidized Bed Combustion

tors, J. Stringer, A. Minchener, D. Lloyd	29
Influence of Steel Surface Preparation on Coating Performance and Cathodic Delamination, M. Kendig, S. Tsai, F. Mansfeld	37
Evaluation of Sulfidation Corrosion In- hibitors by Small Burner Rig Testing, M. Zetlmeisl, D. Laurence, K. McCarthy	41
Interpretation of Differential Thermal Data Analysis for Fusion Bonded Epoxy Powder Coatings, G. Mills	45
NACE Publication 1C184: Monitoring In- ternal Corrosion in Oil and Gas Pro- duction Operation with Hydrogen Probes	49

JULY

Editorial: Corrosion Tests, L. C. Rowe ..	7
The Effect of Environmental Variables on Crevice Corrosion of Stainless Steels in Seawater, T. S. Lee, R. M. Kain, J. W. Oldfield	9
Corrosion of Aluminum Alloys in Ocean Thermal Energy Conversion Sea- waters, J. Larsen-Basse	16
Corrosion Fatigue of Aluminum Sprayed, High Strength Steel Immersed in Seawater, M. W. Joosten, M. M. Salama, R. Myers	22
Corrosion Fatigue of Reinforced Con- crete in Seawater, T. Hodgkiss, P. D. Arthur, J. C. Earl	27
Marine Corrosion and Protection for Graphite/Aluminum Metal Matrix Com- posites, D. M. Aylor, R. J. Ferrara, R. M. Kain	32
Resistance of Stainless Steels to Crevice Corrosion in Seawater, A. P. Bond, H. J. Dundas	39
Corrosion Behavior of a Ferritic Stain- less Steel in Hot Concentrated NaOH Solutions, M. Yasuda, F. Takeya, S. Tokunaga, F. Hine	44
Laboratory Electrochemical Testing of Pipe Surfaces in Soils, J. R. Scully, K. J. Bundy	50

AUGUST

Editorial: The Importance of a Good Relationship with Other Societies, L. C. Rowe	7
NACE Standard RP-01-84: Recommended Practice—Repair of Lining Sys- tems	9
A Comparative Study on the Dissolution of Magnetite by Organic Acids, C. A. Poulos	19
On Achieving Polarization Beneath Un- bonded Pipe Coatings, A. C. Toncre	22
Difficulties in Developing Tests to Stim- ulate Corrosion in Marine Environ- ments, T. S. Lee, K. L. Money	28
Discussion: Cathodic Protection of Wastewater Treatment Equipment, K. C. Garrity, P. Kaiser	33
Corrosion Fatigue of a Case Hardened Steel in Lubricating Oil, C. Chandler, D. E. J. Talbot	34

Laboratory Study of Corrosion in a Crude Oil Fractionator Overhead System, Q. J. M. Slaiman, H. J. Nassouri	38
Technical Filler: Bacterial Contamina- tion of Ship Bunker Fuel Causes Cor- rosion—2; Contamination of Distillate Fuels, L. M. Reichert	42
Corrosion and Biofouling Control in a Cooling Tower System, T. F. Colturi, K. J. Kozelski	43
Guide for the Investigation of Micro- biologically Induced Corrosion, J. G. Stoecker	48

SEPTEMBER

Editorial: The Lessons of History, L. C. Rowe	7
An Assessment of the Current Criteria for Cathodic Protection of Buried Steel Pipelines, T. J. Barlo, W. E. Berry	9
Field Test and Service Performance of Continuously Cast Aluminum Anodes, M. C. Roche, M. C. Reboul	17
Potentials and Hydrogen Evolution on Coated Pipe, B. Husock, R. Wilson	26
Design of Platinum Clad Wire Anodes for Impressed Current Protection, R. Baboian, P. F. Prew, K. Kawate	31
Technical Note: Internal Corrosion of Large Diameter Water Pipes by Cath- odic Protection, R. B. Bender	35
The Effect of Clustered Anodes on Anode Deployment Efficiency, R. L. Benedict	38
Aerospace High Performance Fasteners Resist Stress Corrosion Cracking, T. A. Roach	42
Cathodic Protection for Saudi Arabia's Ghazlan Power Generating Plant, J. M. Leavenworth	46
NACE Publication 6H184: Technical Committee Report on Structural Steel Painting—A Comparison of Various Work Sites and Procedures	49

OCTOBER

Editorial: Meeting the Education Needs of People, L. C. Rowe	7
Corrosion of Commercial High Temper- ature Alloys in Simulated Coal Gas- ification Environments, R. H. Kane	9
Effect of Grit Blasting on the Stress Corrosion Cracking Behavior of Line Pipe Steel, G. H. Koch, T. J. Barlo, W. E. Berry	20
Technical Note: Stray Current Control Through Storage Yard Isolation, M. J. Szeliga	24
H ₂ S Cracking Resistance of 420 Stain- less Steel Tubulars, L. J. Klein	29
Galvanostatic Evaluation of Lead Mag- netite Composite Anodes in Simulated Seawaters, N. D. S. Hill	35
Erosion-Corrosion of Carbon Steel in Wet Steam, W. M. M. Huijbregts	39
Coating Work Costs—The Selection and	

Justification of Coatings and Gal- vanizing, A. H. Roebuck, G. H. Brevoort	46
NACE Standard TM-03-84 (Test Method): Holiday Detection of Internal Tubular Coatings of Less Than 10 mils (0.25 mm) Dry Film Thickness	52

NOVEMBER

Editorial: The Government and You, L. C. Rowe	7
Cooling Water Technology in the 1990s, A. J. Freedman	9
Corrosion Control of Industrial Cooling Water Systems, B. P. Boffardi	17
A Kinetic Model for Calcium Carbonate Deposition, R. J. Ferguson	25
A Model System for Studying Fouling and Corrosion in Shell-Side Cooling Water Heat Exchangers, R. J. Soracco, E. W. Wilde, L. A. Mayack, D. H. Pope	35
The On-Line Removal of Iron Deposits From Cooling Water Systems, R. I. Kaplan, E. W. Ekis, Jr.	40
Technical Note: The Effect of Seawater Velocity on Corrosion Potentials of Materials, T. S. Lee, E. W. Thiele, J. H. Waldorf	44
The Effects of Antiscalants on Fouling by Cooling Water, B. L. Libutti, J. G. Knudsen, R. W. Mueller	47
NACE Publication 6H284: Urethane Top- coats for Atmospheric Applica- tions	51

DECEMBER

EDITORIAL: Reflections after one year, L. C. Rowe	7
Corrosion and material problems in the copper production industry S. L. Pohlman, R. V. Olson	9
Evaluating the condition of asbestos-cement pipe J. R. Millette, G. S. Logsdon, P. J. Clark, R. N. Kinman	14
Discussion: Internal corrosion of large diameter water pipes by cathodic protection R. B. Bender, W. H. Swain	20
Solar powered cathodic protection for Saudi Arabian oilfields J. Leavenworth	21
The relationship of creep to the design of RTP composite equipment O. W. Siebert	27
An analysis of resistance formulas for sacrificial anodes K. Niscancioglu	36
Discussion: Potentials and hydrogen evolution on coated pipe B. Husock, R. Wilson, L. P. Sudrabhin	44
Identification of corrosion damage in boilers R. D. Port	45
Effect of welding parameters on localized corrosion of a duplex stainless steel N. Sridhar, L. H. Flasche, J. Kolts ..	52

MP Index by subject

(Issue no. is followed by page no.)

A

ABRASION CAUSES

ceramic coated inert CP anodes: 6, 24
high alloys in pulp and paper: 1, 19
seawater vs steel, copper, zinc: 3, 15

Abrasion erosion, lab testing: 8, 34

ABRASIVE SURFACE PREPARATION

Al attack in seawater: 7, 16
coatings for hi strength steels: 3, 31
grit blasting vs SCC of line pipe steel: 10, 20
Zn-coated abrasives for steel: 2, 31

ACCELERATED LAB TESTING

marine environments: 8, 28
potentials vs hydrogen on coated pipe: 9, 28; 12, 44
conversion coatings on Al: 4, 9
Zn-coated abrasives for steel: 2, 31

Acetates, pH tests, hi pressure CO₂ and H₂S: 5, 35

Acids, aqueous: 12, 45; 6, 9; 5, 35
Acids, coatings vs galvanizing cost justification: 10, 46

Acrylate inhibitors: vs cooling water fouling: 11, 47

Activation, electrochemical: 4, 23

Adhesion: Zn-coated abrasives: 2, 31

Adhesion, mechanical lab testing, Zn-coated abrasives: 2, 31

Aerobic, microorganisms: attack on common alloys: 4, 14

Aircraft, fasteners: 9, 42

Aircraft, elec. systems: 3, 35

ALKALIS AND SALTS

boiler corrosion damage identification: 12, 45
coatings and galvanizing cost justification: 10, 46
hot corrosion in fluidized beds: 6, 29
LW nuclear reactors: 6, 9
pH tests in hi pressure CO₂ and H₂S: 5, 35
surf prot infl on coating delamination: 6, 37

Alkalies, coatings vs: hi strength steels in atmos: 3, 31

ALLOYING

coal gas vs hi temp alloys: 10, 9
continuous cast Al anode data: 9, 17
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al: 1, 45
erosion-corrosion carbon steel: 10, 39
pulp and paper industry: 1, 9
SS crevice tests: 2, 24
stainless steels vs seawater crevice: 7, 39
welding vs local attack on duplex steel: 12, 52

Alternating stray currents: 3, 43; 4, 30

ALUMINUM

castable anode field data: 9, 17
LW nuclear reactors: 6, 9
microbiological attack on: 4, 14
sewage plan. atmospheric corrosion: 2, 18
stability of conversion coatings on: 4, 9
sulfidation inhibitor test results: 6, 41
wrought 3000, 5000 vs seawater: 7, 16
wrought 6000 vs marine: 7, 32

Aluminum anodes: 4, 47; 9, 17; 12, 36

Aluminum coatings: 7, 16; 7, 22; 10, 9

Aluminum, 6000; graphite-Al composites vs marine env: 7, 32

Ammonia; microbiological attack on alloys: 4, 14

Ammonium salts: 8, 19; 8, 38; 8, 43

ANAEROBIC MICROORGANISMS

anaerobic corrosion of steel: 3, 28
bacterial attack analysis: 8, 48
buried pipeline CP criteria: 9, 9
microbiological attack on common alloys: 4, 14
oil leaks, cooling water systems: 3, 23
sewage plant atmospheric corrosion: 2, 18

Anodes, galvanic; resistance calculation: 12, 36

Anodes, inert: 5, 50; 6, 24; 10, 35

Anodic electrode phenomena; seawater variables infl on crevice attack: 7, 9

Anodic inhibitors: 3, 23; 4, 9; 11, 17

Anodized conversion coatings; graphite-Al composites vs marine env: 7, 32

Aqueous environments: 1, 38; 3, 19; 5, 46

Arctic atmospheric causes; bacterial growth: 8, 42

Area effect, galvanic cells: 4, 47; 7, 9

Artifacts conservation program: 11, 88

Asbestos and mixtures; carbon dioxide 10 yr effects: 5, 17

Asbestos cement pipes: 1, 13; 12, 14

Ascorbic acid; IGSCC sensitized AISI 321 vs polythionic: 4, 38

Asia; Japanese ironmaking: 2, 70

Asphalt thick film coatings: polarization under unbonded pipe coating: 8, 22

ASTM: 8, 28; 9, 26; 12, 27

ATMOSPHERIC CAUSES

coatings for hi strength steels: 3, 31
cooling tower biofouling: 8, 43
electronic systems failures: 3, 35
sewage plant: 2, 18
stability of conversion coatings on Al: 4, 9
Zn-coated abrasives for steel: 2, 31

B

backfill: 9, 31; 9, 38

BACTERICIDES, BIOSTATS, FUNGICIDES

bacterial growth in ship bunker fuel: 8, 42
biofouling controls by chlorine: 11, 35
coatings surveillance, maint on steel: 2, 9
cooling tower biofouling: 8, 43
cooling water technology: 11, 9
film infl on biocide attack on bacteria: 2, 13
paper digester testing: 1, 25
ship bunker fuel bacterial contam effect: 1, 38
surf prot infl on coating delamination: 6, 37
Zn-coated abrasives for steel: 2, 31

Batteries; solar powered CP, Saudi Arabia: 12, 21

Beryllium; light water nuclear reactors: 6, 9

BIOLOGICAL CAUSES

anaerobic corrosion of steel: 3, 28
bacterial growth in ship bunker fuel: 8, 42
controls by chlorine: 11, 35
cooling tower biofouling: 8, 43
film infl on biocide attack on bacteria: 2, 13
sewage plant atmospheric corrosion: 2, 18
test methods for enhanced petro recovery: 5, 43

Biological effects; Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45

Black liquors, paper mill; high alloys in pulp and paper industry: 1, 19

Bleaches: 1, 9; 1, 19

Blistering, coatings; coatings for hi strength steels in atmosphere: 3, 31

Boiler feedwater: 10, 39; 11, 65

Boilers: 8, 19; 12, 45

Bolts: 9, 42; 12, 45

BONDING, ELECTRICAL

carbon-filled polyethylene galv attack: 4, 47
induced voltage on pipelines: 4, 30
reduce stray current effect: 10, 24
stability of conversion coatings on Al: 4, 9

Boric acid; LW nuclear reactors: 6, 9

Boron trifluoride; carbon dioxide 10 yr effects: 5, 17

Boxes, nonmetal; solar powered CP: 12, 21

Brick; ceramic and thermoset resins: 1, 13

Bromine: 8, 43; 11, 9

C

Cables; buried concentric neutral controls: 3, 43

Cadmium coatings: 2, 18; 9, 42

Calcium: 6, 9; 6, 29; 8, 34; 11, 25; 12, 14

CALCULATIONS

biofouling controls by chlorine: 11, 35
calcium carbonate deposition kinetics: 11, 25
CP of oilwell casings - review: 1, 39
clustered galv anode efficiency ions: 9, 38

coatings cost justification: 10, 46

economic evaluation of corrosion control: 1, 29

erosion-corrosion carbon steel: 10, 39

industrial cooling water controls: 11, 17

Pt-clad wire anodes for CP in fresh, salt water: 9, 31

sacrificial anode resistance calculation: 12, 36

solar powered CP: 12, 21

Carbon: 1, 13; 4, 47

Carbon anodes: 9, 46

CARBON DIOXIDE

coal gas vs hi temp alloys: 10, 9
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
hydrogen probe uses: 5, 24
microbiological attack: 4, 14
oilwell casing corrosion analyses: 3, 9
pH tests in hi pressure: 5, 35
test methods for enhanced recovery: 5, 43

CARBON STEEL, WROUGHT

Alloy 625 clad vs H₂S: 5, 30
anaerobic corrosion of steel: 3, 28
bacterial attack analysis: 8, 48
boiler corrosion damage: 12, 45
carbon dioxide 10 yr effects: 5, 17
carbon-filled PE galv attack: 4, 47
cooling tower biofouling: 8, 43
corrosion fatigue of hard steel in oil: 8, 34
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
erosion-corrosion: 10, 39
microbiological attack on common alloys: 4, 14
NaOH vs 30Cr-2Mo steel: 7, 44
polarization test of pipe surface: 7, 50
polymeric thermoset linings: 3, 19
potentials vs hydrogen on coated pipe: 9, 28; 12, 44
seawater vs steel, copper, zinc: 3, 15
sewage plant atmospheric corrosion: 2, 18
surf prot infl on coating delamination: 6, 37
Zn-coated abrasives for steel: 2, 31

Carbonate bases and salts; pH tests in hi pressure CO₂ and H₂S: 5, 35

Carburizing; coal gas vs hi temp alloys: 10, 9

Carpenter 20-Cb3 high alloys in pulp and paper industry: 1, 19

CASE HISTORIES, FAILURE ANALYSIS

bacterial attack analysis: 8, 48
boiler corrosion damage: 12, 45
carbon dioxide 10 yr effects: 5, 17
clustered galv anode efficiency calculations: 9, 38
coatings for hi strength steels: 3, 31
coatings surveillance: 2, 9
continuous cast Al anode field test data: 9, 17
cooling tower biofouling: 8, 43
Cr-Ni-Mo, Cr-Ni-Co-Mo, Ni-Cr-Mo fasteners: 9, 42
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
electronic systems failures: 3, 35
erosion-corrosion carbon steel: 10, 39
high alloys in pulp and paper industry: 1, 19
hydrogen probe uses in oilfield: 5, 24
IGSCC sensitized AISI 321 vs polythionic acids: 4, 38
induced voltage on pipelines: 4, 30
isolation to reduce stray current effect: 10, 24
offshore platform 2 yr CP: 4, 26
oil leaks into cooling water systems: 3, 23
online deposit removal: 11, 40
polarization under unbonded pipe coating: 8, 22
portland cement concrete design guides: 4, 42
pulp and paper industry: 1, 9
welding vs local attack: 12, 52

Casing, well; corrosion analyses: 3, 9

Cast iron: 2, 21; 4, 47

Cast iron, hi silicon anodes; wastewater equipment CP: 5, 50; 8, 33

Catalysis; Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45

Cathodic electrode phenomena: 4, 47; 7, 9; 9, 9

Cathodic inhibitors; cooling water controls: 11, 17

CATHODIC PROTECTION

Al sprayed hi str steel vs seawater: 7, 22
buried pipeline CP criteria: 9, 9
oilwell casings: 1, 39
ceramic coated inert anodes: 6, 24
clad metals conserve critical materials: 4, 34

clustered galv anode efficiency: 9, 38
 direct buried concentric neutral controls: 3, 43
 microbiological attack on common alloys: 4, 14
 offshore platform 2 yr monitor: 4, 26
 oilwell casing corrosion analyses: 3, 9
 polarization test of pipe surface: 7, 50
 polarization under unbonded pipe coating: 8, 22
 potentials vs hydrogen on coated pipe: 9, 26; 12, 44
 Pt-clad wire anodes in fresh, salt waters: 9, 31
 pulp and paper industry: 1, 9
 seawater vs steel, copper, zinc: 3, 15
 solar powered: 12, 21
 stray current internal attack: 9, 35
 surf prot infl on coating delam: 6, 37
 wastewater equipment: 5, 50; 8, 33

Centrifugal blast abrasives; grit vs SCC, line pipe steel: 10, 20

Centrifugal pumps; carbon dioxide 10 yr effects: 5, 17
 Ceramic coatings; inert CP anodes: 6, 24

Ceramics: 1, 13; 5, 17
 Check valves; carbon dioxide 10 yr effects: 5, 17
 Chelants; boiler corrosion damage: 12, 45

Chelation: 8, 19; 11, 9
 Chemical deposition, metal coatings; graphite-Al composites vs marine environ: 7, 32

Chemical or electrochemical testing: 2, 13; 2, 24; 4, 47
 Chloride, hydrogen; hydrogen probe oilfield uses: 5, 24

CHLORIDES
 Alloy 625 clad C-steel vs H₂S: 5, 30
 CP of electric gen plant: 9, 46

cooling tower biofouling: 8, 43
 electronic systems failures: 3, 35
 lead-magnetite anodes: 10, 35

LW nuclear reactors: 6, 9
 oil leaks into cooling water systems: 3, 23
 oilwell casing corrosion analyses: 3, 9

seawater variables infl on crevice attack: 7, 9
 SS crevice tests-infl environ and alloy: 2, 24

CHLORINE
 Al attack in seawater: 7, 16
 biofouling controls: 11, 35

ceramic and thermoset resins for pulp mills: 1, 13
 cooling tower biofouling: 8, 43
 cooling water technology: 11, 9

Chlorine dioxide; pulp and paper industry: 1, 9
 Chromate inhibitors; cooling water controls: 11, 17

Chromate conversion coatings; stability of Al: 4, 9
 Chromium: 4, 34; 6, 41; 10, 9; 10, 39
 Citric acids: 8, 19; 11, 40

Cladding application, metal coatings: 4, 34; 6, 9
 Coal tar coatings: 2, 21; 3, 31; 9, 26
 Coal: 6, 29; 10, 9; 12, 45

Coatings: 4, 19; 10, 46
 Coatings failure modes; surveillance, maint on steel: 2, 9

Cobalt: 4, 34; 6, 29
 Cobalt + Cr, Mo, Ni, incl C-276; sulfidation inhibitor test: 6, 41

Cold fabrication: 7, 43; 9, 42
 Columbium: 4, 34; 6, 9; 6, 24
 Combustion gases: 1, 9; 1, 19; 3, 35; 6, 29

Compacted multiphase or mixtures: 10, 35
 Compressive stress; grit blasting vs SCC of line pipe steel: 10, 20

Computer calculations: 4, 30; 11, 9
 Concentration cells; microbiological attack on common alloys: 4, 14

Concrete: 1, 9; 2, 16; 3, 19
 Concrete coatings: 1, 45; 3, 9; 5, 17
 Condensate, aqueous; boiler corrosion damage: 12, 45

Condensation: 3, 35; 7, 43; 12, 45
 Condensers, nonelectrical: 6, 9; 8, 38; 11, 25
 Containers; electronic systems corrosion failures: 3, 35

Contamination, environmental: 11, 9; 12, 21
 Conversion coatings: 2, 9; 4, 9
 Cooling water: 3, 23; 11, 9; 11, 17; 11, 43

COOLING WATER INHIBITORS
 antiscalants: 11, 47
 biofouling: 8, 43

cooling water technology: 11, 9
 industrial cooling water controls: 11, 17

COPPER

boiler corrosion damage: 12, 45
 carbon dioxide 10 yr effects: 5, 17
 carbon-filled PE galv attack, metals: 4, 47

CP, electric gen plant: 9, 46
 clad metals conserve critical materials: 4, 34
 Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45

direct buried concentric neutral controls: 3, 43
 erosion-corrosion carbon steel: 10, 39
 LW nuclear reactors: 6, 9

magnetite dissolution by organic acids: 8, 19
 microbiological attack on common alloys: 4, 14
 seawater vs steel, copper, zinc: 3, 15

seawage plant atmospheric corrosion: 2, 18
 Corrosion-erosion: 1, 19; 7, 16; 10, 9; 12, 45
 Corrosion products: 4, 42; 6, 9; 11, 25

Coupons, field test; polarization, pipe surfaces: 7, 50

CRACKING
 Al sprayed hi str steel vs seawater: 7, 22
 boiler corrosion damage: 12, 45

continuous cast Al anode test data: 9, 17
 deaerator, feedwater tanks: 11, 65
 grit blasting vs SCC, line pipe steel: 10, 20

H₂S resistance, AISI 420 steel: 10, 29
 LW nuclear reactors: 6, 9
 paper digester NDT: 1, 25

polymeric thermoset linings: 3, 19
 portland cement concrete design: 4, 42
 pulp and paper industry: 1, 9

reinf concrete rebar attack, seawater: 7, 27
 Creep; fiber reinforced polymer: 12, 27

CREVICES
 accel test in marine environments: 8, 28
 Alloy 625 clad C-steel vs H₂S: 5, 30

Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
 polarization under unbonded pipe coating: 8, 22
 seawater variables infl: 7, 9

SS crevice tests—infl environ and alloy: 2, 24
 stainless steels vs seawater: 7, 39
 welding vs local attack on duplex steel: 12, 52

CURRENT DENSITY, ON-SITE TESTING
 continuous cast Al anode data: 9, 17
 offshore platform 2 yr CP: 4, 26

pipe surface in soils: 7, 50
 surf prot infl, coating delam: 6, 37
 Cyclic stresses: 6, 9; 7, 27; 10, 20; 12, 45

Cycling, lab testing; stability of conversion coatings on Al: 4, 9

D

Data correlation: 6, 37; 8, 28; 12, 14
 Deaeration: 1, 9; 5, 43; 6, 9; 7, 44; 11, 65
 Dealloying: 2, 21; 8, 48

Deep ground beds, C of electric gen plant: 9, 46
 Dehydration; Alloy 625 clad C-steel vs H₂S: 5, 30
 Delamination; surf prot infl on coatings: 6, 37

Depassivation: 4, 14; 8, 48
 Desiccation: 5, 17; 5, 43

DESIGN
 Cr-Ni-Mo, Cr-Ni-Co-Mo, Ni-Cr-Mo fasteners: 9, 42
 deaerator, feedwater tank: 11, 65

direct buried concentric neutral controls: 3, 43
 fiber reinforced polymer creep: 12, 27
 hydrogen probe uses: 5, 24

offshore platform 2 yr CP monitor: 4, 26
 portland cement concrete: 4, 42
 sacrificial anode resistance: 12, 36

seawage plant atmospheric corrosion: 2, 18
 solar powered CP: 12, 21
 wastewater equipment CP: 5, 20; 8, 33

Desulfurizers; IGSCC sensitized AISI 321 vs polythionic acids: 4, 38
 Dewpoint aqueous on site test: 5, 24; 5, 43

Digesters: 1, 9; 1, 25
 Disbonding, coatings: 5, 50; 8, 22; 8, 33; 12, 27
 Dispensing: 11, 9; 11, 47

Dissolution, materials effects: 12, 14
 Distillers equipment: 8, 38

DRINKING WATER

asbestos-cement pipe vs potable water: 12, 14
 ceramic coated inert anodes: 6, 24
 coatings and galvanizing cost: 10, 46

graphitic residue from cast iron system: 2, 21
 lead-magnetite anodes: 10, 35
 Pt-clad wire anodes: 9, 31

stray CP current internal attack in pipe: 9, 35
 DUPLEX STAINLESS STEELS
 high alloy in pulp and paper industry: 1, 19

stainless steels vs seawater: 7, 39
 welding vs local attack: 12, 52
 Dye penetrant testing: 1, 25

E

ECONOMICS
 ceramic and thermoset resins: 1, 13
 clad metals: 4, 34

coatings and galvanizing: 10, 46
 coatings for hi strength steels: 3, 31
 coatings surveillance: 2, 9

Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
 direct buried concentric neutral controls: 3, 43
 evaluation of corrosion control: 1, 29

pulp and paper industry: 1, 9
 Zn-coated abrasives: 2, 31

ELECTRICAL INSULATION
 electronic systems corrosion failures: 3, 35
 reduce stray current effect: 10, 24

sewage plant atmospheric corrosion: 2, 18
 stray CP current internal pipe attack: 9, 35
 Electrical resistance rate: 5, 24; 5, 43; 5, 46

Electrical equipment: 3, 35; 4, 9; 9, 46; 12, 21

ELECTRON MICROSCOPE
 asbestos-cement pipe vs potable water: 12, 14
 erosion-corrosion of carbon steel: 10, 39

graphite-Al composites vs marine: 7, 32
 graphitic residue from cast iron: 2, 21
 NaOH vs 30Cr-2Mo steel up to 120 C: 7, 44

SS crevice tests: 2, 24
 Electronic equipment: 3, 35; 4, 9

Electrophoretic application, coating: 6, 28
 Emulsions; fractionator overhead tests: 8, 38
 Epoxy materials: 1, 13; 2, 31; 3, 31; 4, 42; 5, 17; 6, 45;

7, 50; 9, 26; 12, 44
 Erosion-corrosion, lab testing: 10, 39
 Ethylene-diamine-tetraacetic acid: 8, 19

Evaporators; erosion-corrosion carbon steel: 10, 39

F

FATIGUE STRESSES
 Al-sprayed hi-str steel vs seawater: 7, 22
 boiler corrosion damage identification: 12, 45

corrosion fatigue of hard steel in oil: 8, 34
 pulp and paper industry corrosion problem: 1, 9
 reinf concrete rebar attack in seawater: 7, 27

Ferric acids: 4, 14; 6, 24
 Ferric chloride: 6, 9; 7, 39
 Fibers; graphite-Al composites vs marine: 7, 32

FILMS ON MATERIALS
 Al attack in seawater: 7, 16
 asbestos-cement pipe: 12, 14

bacterial attack analysis: 8, 48
 boiler corrosion damage: 12, 45
 calcium carbonate: 11, 25

coal gas vs high temp alloys: 10, 9
 cooling tower biofouling: 8, 43
 cooling water technology: 11, 9

Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
 hot corrosion in coal fluidized beds: 6, 29
 lead-magnetite anodes: 10, 35

magnetite dissolution by organic acids: 8, 19
 microbiological attack: 4, 14
 oil leaks into cooling water systems: 3, 23

oilwell casing corrosion: 3, 9
 on-line deposit removal: 11, 40
 reinf concrete rebar attack: 7, 27

wastewater equipment CP: 5, 50; 8, 33

FILTERS

bacterial growth, ship bunker fuel: 8, 42
oilwell casing corrosion: 3, 9
pulp and paper industry: 1, 9; 1, 19
ship bunker fuel bacterial effect: 1, 38

Filtration: 3, 23

Flame sprayed coatings: 5, 17; 6, 45; 7, 22
Fluidized bed coal gas; hot corrosion: 6, 29

FOULING

Al attack in seawater: 7, 16
antiscalants vs: 11, 47
chlorine: 11, 35
calcium carbonate deposition kinetics: 11, 25
continuous cast Al anode: 9, 17
cooling tower: 8, 43
oil leaks into cooling water systems: 3, 23
on-line deposit removal: 11, 40

Fumes; polymeric thermoset linings: 3, 19
Fungi; growth in ship bunker fuel: 8, 42
Furans; ceramic and thermoset resins: 1, 13

G

GALVANIC CELLS

carbon dioxide 10 yr effects: 5, 17
carbon-filled PE galv attack on metals: 4, 47
clad metals: 4, 34
Cr-Ni-Mo, Cr-Ni-Co-Mo, Ni-Cr-Mo fasteners: 9, 42
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
graphite-Al composites vs marine: 7, 32
microbiological attack on common alloys: 4, 14
NaOH vs 30Cr-2Mo steel up to 120 C: 7, 44
seawater velocity vs corrosion potential: 11, 44
sewage plant atmospheric corrosion: 2, 18
wastewater equipment CP: 5, 50; 8, 33

GALVANIC CATHODIC PROTECTION

carbon dioxide 10 yr effects: 5, 17
ceramic coated inert anodes: 6, 24
clustered galv anode efficiency calculations: 9, 38
direct buried concentric neutral controls: 3, 43
offshore platform 2 yr monitor: 4, 26
oilwell casing corrosion analyses: 3, 9
anode resistance calculation: 12, 36
wastewater equipment: 5, 50; 8, 33
Zn-coated abrasives for steel: 2, 31

Gas welding vs local attack, duplex steel: 12, 52
Gases or vapors lab; crude oil fractionator overhead tests: 8, 38

Gaskets: 5, 17

Gate valves: 5, 17

Gold, conservation: 4, 34

Grain causes: 10, 9; 12, 52

Graphite-Al composites vs marine: 7, 32

Graphitization; residue from cast iron: 2, 21

Ground beds: 9, 31; 9, 38

Grounding; direct buried concentric neutral controls: 3, 43

Grounds; electric generating plants: 9, 46

H

Half-cells, testing; offshore platform CP: 4, 26

Halogens: 3, 35; 10, 46

Hardness testing; asbestos-cement pipe vs water: 12, 14

Hastelloy B; coal gas vs high temp alloys: 10, 9

Heat affected zone: 1, 34; 6, 9; 12, 52

HEAT EXCHANGERS

Al attack in seawater: 7, 16
antiscalants vs cooling water fouling: 11, 47
bacterial attack analysis: 8, 48
biofouling controls by chlorine: 11, 35
calcium carbonate deposition kinetics: 11, 25
cooling tower biofouling: 8, 43
cooling water technology: 11, 9
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
hot corrosion in coat fluidized beds: 6, 29
IGSCC sensitized AISI 321 vs polythionic acids: 4, 38
industrial cooling water controls: 11, 17
oil leaks into cooling water systems: 3, 23
on-line deposit removal: 11, 40
pulp and paper industry: 1, 9

HEAT FLUX

Al attack in seawater: 7, 16
boiler corrosion damage: 12, 45
calcium carbonate deposition: 11, 25
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
NaOH vs 30Cr-2Mo steel up to 120 C: 7, 44
on-line deposit removal: 11, 40

Heat sink, welding; vs residual stress in BW reactors: 1, 34

HEATING

Cr-Ni-Mo, Cr-Ni-Co-Mo, Ni-Cr-Mo fasteners: 9, 42
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
deaerator, feedwater tank, inspection: 11, 65
heat vs weld residual stress: 1, 34
IGSCC sensitized AISI 321 vs polythionic acids: 4, 38
LW nuclear reactors: 6, 9
pulp and paper industry: 1, 9

High temperatures: 5, 30; 10, 46

Hydraulic concrete coatings design: 4, 42

Hydrocarbon lubricants: 8, 34; 9, 42

Hydrochloric acid: 1, 19; 3, 31; 6, 29; 8, 38

Hydrogen embrittlement: 1, 45; 7, 27

HYDROGEN

boiler corrosion damage: 12, 45
coal gas vs high temp alloys: 10, 9
detection by solid state probe: 4, 23
hydrogen probe uses: 5, 24
LW nuclear reactors: 6, 9
microbiological attack on common alloys: 4, 14
potentials vs hydrogen: 9, 26

HYDROGEN SULFIDE

Alloy 625 clad C-steel vs H₂S in wells: 5, 30
coal gas vs high temp alloys: 10, 9
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
crude oil fractionator overhead tests: 8, 38
hydrogen probe uses: 5, 24
H₂S resistance of AISI 420: 10, 29
pH tests: 5, 35
pulp and paper industry: 1, 9
sewage plant atmospheric corrosion: 2, 18

Hydroxy acetic acid: 8, 19

I-J

IMMERSION LAB TESTING

Al-sprayed hi str steel: 7, 22
graphite-Al composites vs marine: 7, 32
seawater vs steel, copper, zinc: 3, 15
Zn-coated abrasives: 2, 31

IMPRESSED CURRENT CATHODIC PROTECTION

electric generating plants: 9, 46
ceramic coated inert anodes: 6, 24
direct buried concentric neutral controls: 3, 43
Pt-clad wire anodes: 9, 31

Incoloy 800: 6, 9; 6, 29

Indium: 9, 17

Induction, electrical; pipelines reports: 4, 30

INHIBITORS

calcium carbonate deposition: 11, 25
carbon dioxide effects: 5, 17
cooling tower biofouling: 8, 43
cooling water technology: 11, 9
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
hydrogen probe uses: 5, 24
industrial cooling water controls: 11, 17
oil leaks into cooling water systems: 3, 23
test methods for enhanced recovery: 5, 43

Inorganic coatings: 8, 22; 12, 44

Inorganic inhibitors: 11, 17; 11, 47

Inorganic metal multiphase materials: 7, 32

Inorganic-organic multiphase materials: 1, 13; 3, 19
Insulation, thermal, electricity; solar powered CP: 12, 21

Inspection testing: 2, 9; 7, 43

INSTRUMENTATION, TEST

asbestos-cement pipe vs potable water: 12, 14
biofouling controls by chlorine: 11, 35
buried pipeline CP: 9, 9

coal gas vs hi temp alloys: 10, 9
cooling tower biofouling: 8, 43
crude oil fractionator overhead tests: 8, 38
electrochemical corrosion monitor: 5, 45
erosion-corrosion carbon steel: 10, 39
fiber reinforced polymer creep: 12, 27
film infl on biocide attack: 2, 13

hydrogen detection: 4, 23

hydrogen probe: 5, 24

offshore platform CP monitor: 4, 26

on-line deposit removal: 11, 40

polarization under unbonded coating: 8, 22

potentials vs hydrogen on coated pipe: 9, 26; 12, 44

seawater velocity vs corrosion potential: 11, 44

SS crevice tests: 2, 24

thermal anal fusion bonded epoxy coating: 6, 45

INTERFACE EFFECTS

calcium carbonate deposition kinetics: 11, 25
industrial cooling water controls: 11, 17
on-line deposit removal: 11, 40
surf prot infl on coating delam: 6, 37

Interface, causes: 8, 34; 10, 20

Interference: CP of oilwell casings: 1, 39

Intergranular cracking: 1, 34; 4, 38

INTERGRANULAR EFFECTS

bacterial attack analysis guidelines: 8, 48
boiler corrosion damage: 12, 45
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
hot corrosion in coat fluidized beds: 6, 29
LW nuclear reactors: 6, 9
NaOH vs 30Cr-2Mo steel up to 120 C: 7, 44
pulp and paper industry: 1, 9
Iron: 2, 31; 2, 70; 4, 14
Iron sulfides; pH tests in hi pressure CO₂ and H₂S: 5, 35

Iron oxides; erosion-corrosion: 10, 39

Isostatic pressing metal coatings: 5, 30

Joints and fasteners: 1, 19; 2, 18; 9, 42

L

Lead: 4, 47; 10, 35

Linings: 1, 9; 1, 13; 3, 19; 5, 17

Liquid, biological waste control: 2, 18

Liquid petroleum: 1, 38; 8, 38; 8, 42; 12, 45

Lithium: 6, 9; 6, 24

M

Magnesium: 5, 50; 6, 9; 6, 41; 9, 38

Magnetic nondestructive testing; paper digester: 1, 25

Magnetic effects: 1, 45

Magnetite: 10, 35

Magnetite: 8, 19; 10, 39

Manganese: 4, 34; 10, 9

Marine atmospheric causes: 7, 32; 8, 28; 9, 46

METAL ARC WELDING

Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
deaerator, feedwater tanks, inspection: 11, 65
erosion-corrosion carbon steel: 10, 39
heat vs weld residual stress: 1, 34
LW nuclear reactors: 6, 9
paper digester nondestructive testing: 1, 25
pulp and paper industry: 1, 9
welding vs local attack: 12, 52

Metal coatings: 6, 24; 10, 9

METAL PIPES

Alloy 625 clad C-steel: 5, 30
cooling tower biofouling: 8, 43
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
graphitic residue from cast iron: 2, 21
H₂ evol on coated pipe: 12, 44
reduce stray current effect: 10, 24
polarization test: 7, 50
polarization under unbonded coating: 8, 22
potentials vs hydrogen on coated: 9, 26; 12, 44
pulp and paper industry: 1, 9
sewage plant atmospheric corrosion: 2, 18
stray CP current internal attack: 9, 35
vs polythionic: 4, 38

Metal-organic coatings: 10, 46

Methane; boiler corrosion damage: 12, 45

MICROORGANISMS

bacterial attack analysis: 8, 48
film infl on: 2, 13
growth in ship bunker fuel: 8, 42
controls by chlorine: 11, 35
microbiological attack on common alloys: 4, 14
ship bunker fuel contamination: 1, 38

MIXTURES, MATERIALS

C-filled PE galv attack on metals: 4, 47
clad metals conserve: 4, 34
fiber reinforced polymer: 12, 27
graphite-Al composites: 7, 32
pulp and paper industry: 1, 9

Molybdates: 8, 43; 11, 17

Molybdenum: 1, 9; 8, 43; 10, 39

Mortar, concrete: 1, 13

Multiphase or mixtures: 1, 9; 1, 13; 12, 27

N

Natural gases: 1, 45; 5, 17; 5, 24; 5, 35; 10, 29

Nickel: 1, 45; 2, 24; 5, 17; 8, 28; 10, 9

Ni-Cu alloy 400: 1, 45; 8, 48

Nickel oxide hydrogen probe: 5, 24

Nickel-chromium-iron alloys: 1, 19; 1, 45; 4, 14; 6, 29; 10, 9

Ni-Ni-Cu alloys: 5, 17

Nimonic: 7, 16; 10, 9

Nitriding: 8, 34

Nitrites: 11, 17

Nitrogen: 6, 9; 7, 39; 8, 34; 8, 38; 11, 17

NONAQUEOUS LIQUID

bacterial growth in ship bunker fuel: 8, 42
microbiological attack on common alloys: 4, 14
oil leaks into cooling water systems: 3, 23
ship bunker fuel bacterial contamination effect: 1, 38
sulfidation inhibitor test results: 6, 41

Nondestructive testing: 1, 25; 3, 9

Nonmetal pipes: ceramic and thermoset resins: 1, 13

Nonmetallic coatings: 3, 19; 6, 45

Nuclear: erosion-corrosion carbon steel: 10, 39

LW nuclear reactors review: 6, 9

O

Offshore petroleum wells: 1, 45; 4, 26; 9, 17

ON-SITE OR PILOT PLANT TESTING

accel test in marine: 8, 28
Al attack in seawater: 7, 18
anticorrosants: 11, 47
asbestos-cement pipe vs potable water: 12, 14
coatings for hi strength steels: 3, 31
continuous cast Al anode: 9, 17
cooling water technology: 11, 9
direct buried concentric neutral controls: 3, 43
d.c. potentials: 12, 44
electrochemical monitor: 5, 46
graphite-Al composites vs marine: 7, 32
high alloys in pulp and paper industry: 1, 19
hot corrosion in coal fluidized beds: 6, 29
sacrificial anode resistance: 12, 36
seawater vs steel, copper, zinc: 3, 15
stability of conversion coatings on Al: 4, 9
enhanced petro recovery: 5, 43
wastewater equipment CP: 5, 50; 8, 33

Optical instrumentation testing: 2, 13; 12, 14

ORGANIC COATINGS

coatings surveillance: 2, 9
potentials vs hydrogen on pipe: 9, 28
pulp and paper industry: 1, 9
sewage plant atmospheric corrosion: 2, 18
surf prot infl on coating delam: 6, 37
wastewater equipment CP: 5, 50; 8, 33

Osmosis effects: 5, 50; 12, 44

OXIDATION

buried pipeline CP criteria: 9, 9
cooling tower biofouling: 8, 43
grit blasting vs SCC: 10, 20
NaOH vs 30Cr-2Mo steel up to 120 C: 7, 44
on-line deposit removal: 11, 40

wastewater equipment CP: 5, 50; 8, 33

Oxides: 2, 21; 10, 35; 12, 45

OXYGEN

Al attack in seawater: 7, 16
boiler corrosion damage: 12, 45
buried pipeline CP criteria: 9, 9
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
hot corrosion in coal fluidized beds: 6, 29
LW nuclear reactors: 6, 9
oilwell casing corrosion analyses: 3, 9
seawater variables infl: 7, 9
test methods for enhanced recovery: 5, 43

Ozone; cooling water technology: 11, 9

P

Palladium; clad metals: 4, 34
Paper industry: 1, 9; 1, 13; 1, 19; 1, 25; 1, 29; 12, 52
Particulates: 10, 39; 11, 47
Passivation; portland cement concrete: 4, 42
Peening; grit blasting vs SCC: 10, 20
Permeation: 2, 9; 5, 24; 9, 35
pH changes, effects: 2, 24; 7, 9; 10, 29; 10, 46; 12, 45
pH controls: 4, 42; 5, 50; 8, 19; 8, 33; 8, 38; 8, 43; 11, 9
pH meters: 5, 35
Phenolics: 1, 13; 5, 17
Phosphates: 2, 21; 6, 9; 8, 34; 11, 17; 11, 40
Phosphorus: 2, 21
Pipe-to-soil or water tests: 7, 50; 8, 22; 8, 33
Pipelines: 4, 30; 5, 17; 9, 9; 10, 20

PITTING

Al attack in seawater: 7, 16
bacterial attack analysis: 8, 48
boiler corrosion damage: 12, 45
coatings: 3, 31
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al: 1, 45
graphite-Al composites vs marine: 7, 32
LW nuclear reactors: 6, 9
microbiological attack, common alloys: 4, 14
oil leaks: 3, 23
polarization test of pipe: 7, 50
welding vs local attack: 12, 52

PITTING RATES

Alloy 625 clad C-steel vs H₂S in wells: 5, 30
buried pipeline CP criteria: 9, 9
hydrogen probe uses: 5, 24
oilwell casing corrosion analyses: 3, 9
test methods for enhanced recovery: 5, 43

Plastic materials: 2, 18; 5, 17

Platinum: 4, 34; 5, 50; 8, 33; 9, 31

Poisons: 3, 19; 12, 14

Polarization: 1, 39; 3, 43; 4, 14; 5, 46; 7, 50; 8, 22; 9, 9; 10, 35

Polluted atmospheres: 31, 31

Polluted water: 1, 45

Polystyrene: 1, 13; 3, 19

Polyethylene: 4, 47; 5, 17

Polyethylene coatings: 7, 50

Polymer concrete: 1, 9

Polymeric inhibitors: 11, 47

Polyphenylene: 5, 17

Polyvinylchlorides: 2, 18; 3, 35

Polyvinyls: 3, 19

Potassium; sulfidation inhibitor: 6, 41

Potentials; laboratory tests: 3, 43; 9, 26; 11, 44

Potentials; underground tests: 1, 39; 3, 15; 3, 43; 4, 26; 5, 50; 8, 33; 9, 9; 9, 26; 9, 46; 12, 44

Potentiometers: 1, 39; 5, 50; 7, 27; 7, 44; 8, 33; 9, 9; 9, 17; 10, 24; 12, 44

Powder coatings: 6, 45; 7, 50

Precipitation (not rain) effects: 11, 25

PREDICTIVE CALCULATIONS

calcium carbonate deposition kinetics: 11, 25
fiber reinforced polymer creep: 12, 27
offshore platform CP: 4, 26
seawater velocity vs corrosion potential: 11, 44
surf prot infl on coating delam: 6, 37

Preheaters; boiler water: 10, 39

PRESSURE

Alloy 625 clad C-steel vs H₂S in wells: 5, 30

carbon dioxide effects: 5, 17

Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45

hydrogen probe uses: 5, 24

pH tests in hi pressure CO₂ and H₂S: 5, 35

Portland cement concrete design: 4, 42

pulp and paper industry: 1, 9

test methods for enhanced recovery: 5, 43

Primers, organic: 2, 31; 3, 19; 10, 46

Production, petroleum: 2, 13; 5, 17; 5, 24; 9, 17

Pumps: 1, 45; 5, 43

R

Reciprocating pumps: 5, 17

Records: 2, 9; 4, 26

Rectifiers: 9, 46

Repair of organic coatings on steel: 2, 9

Repressuring, petroleum wells: 5, 43

Residual fuel oil: 8, 42

Residual stresses: 1, 34; 6, 9

Resistance, nondestructive testing: 3, 19; 5, 46; 6, 37; 8, 33

Resistance, causes: 1, 39; 4, 9; 5, 50; 8, 33; 9, 9; 9, 31; 9, 38

Resistivities: 7, 50; 9, 35

Roofs; sewage plant: 2, 18

S**SAFETY**

asbestos-cement pipe vs potable water: 12, 14
paper digester nondestructive testing: 1, 25
polymeric thermoset linings techniques: 3, 19

Salt fog, spray testing: 8, 28

SALT WATER

accel test problems: 8, 28
bacterial attack analysis: 8, 48
ceramic coated inert anodes: 6, 24
crevice attack: 7, 9
graphite-Al composites vs marine: 7, 32
lead-magnetite anodes: 10, 35

SEAWATER

accel test problems: 8, 28
Al attack in: 7, 16
bacterial attack analysis: 8, 48
clustered galv anode efficiency calculations: 9, 38
continuous cast Al anode field data: 9, 17
crevice attack: 7, 9
lead-magnetite anodes: 10, 35
offshore platform: 4, 26
Pi-clad wire anodes: 9, 31
reinf concrete rebar attack: 7, 27
velocity vs corrosion potential: 11, 44
vs steel, copper, zinc: 3, 15
welding vs local attack on duplex steel: 12, 52
Zn-coated abrasives for steel: 2, 31

Ni alloys for offshore: 1, 45

Seals; electronic systems: 3, 35

Segregation, grain: 1, 45; 6, 9

Sensitization: 4, 38

Sewage: 2, 18; 5, 17; 5, 50; 8, 33

Shielded metal arc welding: 12, 52

Shielding effects, cathodic protection: 9, 46

Ships; bacterial growth in bunker fuel: 1, 38; 8, 42

SILICA

ceramic and thermoset resins: 1, 13
graphitic residue from cast iron: 2, 21
hot corrosion in coal fluidized beds: 6, 29
surf prot infl on coating delam: 6, 37
Zn-coated abrasives for steel: 2, 31

Silicate inhibitors: 11, 17

Silicon: 5, 50; 6, 41; 8, 33; 10, 9

Silver; clad metals: 4, 34

Silver coatings: 4, 34; 12, 21

Sludge: 1, 19; 8, 42

Slurry inhibitors: 8, 38

Sodium: 6, 9; 6, 41

Sodium carbonate: 10, 20

SODIUM CHLORIDE

carbon-filled PE galv attack: 4, 47
high alloys in pulp and paper industry: 1, 19
H₂S resistance of AISI 420 steel: 10, 29

pH tests in hi pressure CO₂ and H₂S: 5, 35
surf prot infl on coating delam: 6, 37

Sodium hydroxide: 1, 9; 7, 44
Sodium hypochlorite: 8, 42; 8, 43
Soils, testing: 9, 9
Solar energy: 8, 28
Solvents: 3, 35; 10, 46
Spalling; portland cement concrete: 4, 42

SPECIFICATIONS

continuous cast Al anode: 9, 17
protective coatings: 4, 19
Pt-clad wire anodes: 9, 31
solar powered CP: 12, 21

Splash zone, sea: 4, 26
Spray application nonmetallic coatings: 3, 19

STEAM

boiler corrosion damage: 12, 45
coal gas vs high temp alloys: 10, 9
crude oil fractionator overhead tests: 8, 38

Steel reinforced concrete: 1, 9; 4, 42; 5, 50; 7, 27
Steels; welding vs local attack: 12, 52
Steels, carbon wrought: 3, 31; 7, 22; 8, 34; 10, 20
Steels, cast, Cr-Ni, hk: 10, 9
Steels, chromium-nickel, austenitic: 1, 9; 1, 19; 1, 45; 2, 18; 2, 24; 4, 38; 5, 17; 6, 9; 6, 29; 7, 9; 7, 39; 7, 44; 8, 48; 10, 9
Steels, ferritic: 2, 24; 5, 17; 6, 9; 6, 29; 7, 39; 7, 44
Steels, martensitic: 5, 17; 6, 9; 10, 9; 10, 29
Steels, Cr Ni Mo, precip. hardening, fasteners: 9, 42
Steels, Ni Cr: 5, 30; 6, 9; 9, 42; 10, 9
Strain, lab testing: 12, 27
Stray currents, CP: 3, 43; 9, 35; 10, 24

STRESS CORROSION CRACKING

Alloy 625 clad C-steel vs H₂S in wells: 5, 30
boiler corrosion damage: 12, 45
fasteners: 9, 42
grit blasting vs SCC of line pipe steel: 10, 20
high alloys: 1, 19
LW nuclear reactors: 6, 9
pH tests in hi pressure CO₂ and H₂S: 5, 35
pulp and paper industry: 1, 9

Submersible pumps: 5, 17
Sulfates: 3, 9; 6, 41
Sulfides; sewage plant: 2, 18
Sulfonates, inhibitors: 8, 34
Sulfur dioxide; hot corrosion in coal fluidized beds: 6, 29
Sulfur: 6, 29; 6, 41; 8, 48; 10, 9
Sulfuric acids: 1, 19; 4, 14
Surface preparation: 3, 19; 6, 9; 10, 46

T

Tanks, metal: 1, 9; 8, 42; 9, 46
Tanks, nonmetal: 1, 13
Tannin inhibitors: 6, 9; 11, 40
Tantalum; clad metals: 4, 34
Tape, coatings: 8, 22; 9, 26

TEMPERATURE, CAUSES

buried pipeline: 9, 9
calcium carbonate deposition kinetics: 11, 25
ceramic and thermoset resins: 1, 13
LW nuclear reactors: 6, 9
microbiological attack on common alloys: 4, 14
seawater variables infl on crevice attack: 7, 9
sewage plant atmospheric corrosion: 2, 18
solar powered CP: 12, 21
stability of conversion coatings on Al: 4, 9
stainless steels vs seawater crevice attack: 7, 39

TEMPERATURE, EFFECTS

Alloy 625 clad C-steel vs H₂S in wells: 5, 30
Al attack in seawater: 7, 16
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
hot corrosion in coal fluidized beds: 6, 29
IGSCC sensitized AISI 321 vs polythionic acids: 4, 38
LW nuclear reactors: 6, 9
magnetite dissolution by organic acids: 8, 19
microbiological attack: 4, 14
NaOH vs 30Cr-2Mo steel up to 120 C: 7, 44
polymeric thermoset linings: 3, 19

pulp and paper industry: 1, 9
stray CP current internal attack: 9, 35
Tensile stresses: 3, 19; 6, 9; 10, 29
Thermosetting polymeric materials: 1, 13; 3, 19
Thorium; LW nuclear reactors: 6, 9
Tile; ceramic and thermoset resins: 1, 13
Tin coatings: 3, 43, 4, 47; 12, 21

TITANIUM

Al attack in seawater: 7, 16
ceramic coated inert anodes: 6, 24
clad metals: 4, 34
coal gas vs high temp alloys: 10, 9
Cr-Ni-Mo, Cr-Ni-Co-Mo, Ni-Cr-Mo fasteners: 9, 42
Cr-Ni, Ni-Cr, Cu-Ni, Ni-Cu-Al for offshore: 1, 45
microbiological attack on common alloys: 4, 14
pulp and paper industry: 1, 9
sulfidation inhibitor test results: 6, 41

Transition joints; clad metals: 4, 34
Transmission, electricity; induced voltage on pipelines: 4, 30
Tuberculation; microbiological attack: 4, 14

U-V

Ultrasonic nondestructive testing: 1, 25; 5, 43

UNDERGROUND ENVIRONMENTS

anaerobic corrosion of steel: 3, 28; 8, 48
buried pipeline CP criteria: 9, 9
carbon-filled PE galv attack: 4, 47
direct buried concentric neutral controls: 3, 43
disc potentials, H₂ evol on coated pipe: 12, 44
isolation to reduce stray current effect: 10, 24
polarization test of pipe surface: 7, 50
potentials vs hydrogen on coated pipe: 9, 26
sacrificial anode resistance: 12, 36

UNDERWATER ENVIRONMENTS

anaerobic corrosion of steel: 3, 28
bacterial attack analysis: 8, 48
boiler corrosion damage: 12, 45
buried pipeline CP criteria: 9, 9
corrosion fatigue of hard steel: 8, 34
film infl on biocide attack on bacteria: 2, 13
potentials vs hydrogen on coated pipe: 9, 26
Pt-clad wire anodes: 9, 31
Zn-coated abrasives for steel: 2, 31

Underwater CP: 5, 50; 9, 26; 12, 36

Valves: 1, 45; 5, 17; 5, 30

VELOCITY

Al attack in seawater: 7, 16
bacterial attack analysis: 8, 48
seawater variables infl on crevice attack: 7, 9
seawater velocity vs corrosion potential: 11, 44
seawater vs steel, copper, zinc: 3, 15
stainless steels vs seawater crevice attack: 7, 39

Ventilators; sewage plant: 2, 18
Vinyl coatings for hi strength steels: 3, 31

W-Z

Washers: 1, 9; 1, 19; 1, 29
Waste control; equipment CP: 5, 50
Water phase in pipelines: 5, 17
Water, atmospheric cooling systems: 3, 23; 8, 43
Wear plates; pulp and paper industry: 1, 19
Well drilling equipment for offshore: 1, 45
Wet gases or vapors; erosion-corrosion of carbon steel: 10, 39
X-ray testing: 1, 25; 2, 21; 12, 14

ZINC

coatings, carbon-filled PE: 4, 47
coatings, galvanizing: 10, 46
cooling tower biofouling: 8, 43
cooling water technology: 11, 9
inhibitors, cooling water: 11, 17
oil leaks into cooling water systems: 3, 23
pigments, coatings: 3, 31
portland cement concrete: 4, 42
sewage plant atmospheric corrosion: 2, 18
seawater vs steel, copper, zinc: 3, 15
Zn coated abrasives for steel surf prep: 2, 31

Zirconium, LW nuclear reactors: 6, 9

An NACE Publication...

Introduction To Oilfield Water Technology

BY
A. G. OSTROFF

Water present in oilfields and in other industrial environments, can cause problems for field engineers. An understanding of the composition, properties, type of water, water handling problems, and methods of adapting water to commercial uses is necessary to alleviate the problems that affect production. This publication covers the usefulness of water treatment, various water corrosion problems, and other water technology information. The information contained in this publication is not only limited to oilfield water, but is applicable to other industrial water situations.

Contents Include:

- Water and Its Utilization
- Analysis of Water
- Scales and Sludges
- Corrosion
- Pollution and Brine Disposal
- Microbiology
- Water Softening
- Coagulation and Sedimentation
- Filtration
- Aeration
- Degasification
- Water Injection
- Boiler and Cooling Water

6 X 10", hard cover, 394 pages, 96 figures, 72 tables, 381 references, appendixes, subject index. Published 1979.

Item # 52140
\$32.00 NACE Members
\$40.00 Nonmembers

Available from:

NACE Publications Order Dept.
P.O. Box 218340
Houston, TX 77218

Credit cards accepted on phone orders:
American Express, VISA, MASTERCARD®
Call: NACE Order Dept. (713) 492-0535

On credit card orders we will figure these charges for you.
Credit orders subject to credit approval.

Note: All orders from Texas must include 5% sales tax. All orders from outside the USA must include \$3.00 for handling. All orders from Mexico and overseas must be prepaid. Proforma invoices will be sent for any orders which are not prepaid. Remittances from foreign countries must be by international money order or bank draft in USA funds. Shipping at any rate other than the most economical rate will be charged to the customer.

MP Index by author

A

Anderson, T. F.: Jan, 13
Arthur, P. D.: Jul, 27
Aylor, D. M.: Jul, 32

B

Babolian, R.: Apr, 34; Sept, 31
Baker, R. A.: Jan, 25
Barlo, T. J.: Sept, 9; Oct, 20
Bender, R. B.: Sept, 35
Benedict, R. L.: Sept, 38
Bennett, D. C.: Jan, 9
Berry, W.: Sept, 9; Oct, 20; Jun, 9
Bloom, P. R.: Feb, 21
Boffardi, B. P.: Nov, 17
Bond, A. P.: Jul, 39
Bonis, M. R.: May, 35
Brevoort, G. H.: Oct, 46
Brown, J. R.: Jul, 43
Bukowski, J.: Jun, 24
Bundy, K. J.: Jul, 50

C

Chandler, C.: Aug, 34
Childs, W. J.: Jan, 34
Clark, P. J.: Dec, 14
Colturi, T. F.: Aug, 43
Costerton, J. W.: Feb, 13
Croall, S. J.: Apr, 30
Crolet, J. L.: May, 35

D

Dobbs, B.: Mar, 35
Dundas, H. J.: Jul, 39
Duquette, D. J.: Apr, 14

E

Earl, J. C.: Jul, 27
Edwards, T. G.: Feb, 9
Eksis, E. W., Jr.: Nov, 40

F

Farmer, M. E.: Apr, 9
Ferguson, R. J.: Nov, 25
Ferrara, R. J.: Jul, 32
Fiasche, L. H.: Dec, 52
Flynn, R. C.: Jan, 13
Franco, R. J.: Mar, 23
Fray, D. J.: Apr, 23
Freedman, A. J.: Nov, 9

G

Garrity, K. C.: Aug, 33
Giannuzzi, A. J.: Jan, 34
Gilman, J. D.: Jan, 34
Goolsby, A. D.: Apr, 26
Gordon, B. A.: Mar, 9
Grimes, W. D.: Mar, 9
Guttenplan, J. D.: Apr, 9

H

Hahn, C.: Apr, 42
Hanck, J. A.: Mar, 43
Hill, N. D. S.: Oct, 35
Hilliard, H. M.: May, 43
Hine, F.: Jul, 44
Hodgkiss, T.: Jul, 27
Huijbrechts, W. M.: Oct, 39
Hunt, L. E.: Mar, 19
Hurley, W. G.: Apr, 30
Husock, B.: Jan, 39; Sept, 26; Dec, 44

I

Iida, K. I.: Feb, 70
Iverson, W. P.: Mar, 28

J

Jaener, M. R.: Jan, 45
Johannes, A. H.: Apr, 14
Joosten, M. W.: Jul, 22

Jordan, T.: May, 43

K

Kain, R. M.: Feb, 24; Jul, 9, 32
Kaiser, P.: May, 50; Aug, 33
Kane, R. H.: Oct, 9
Kaplan, R. I.: Nov, 40
Kawate, K.: Sept, 31
Kendig, M. W.: Jun, 37
Kinman, R. N.: Dec, 14
Klein, L. J.: Oct, 29
Knudsen, J. G.: Nov, 47
Koch, G. H.: Oct, 20
Kolts, J.: Dec, 52
Kozelski, K. J.: Aug, 43
Kumar, A.: Jun, 24

L

Larsen-Basse, J.: Jul, 16
Lashen, E. S.: Feb, 13
Laurence, D. F.: Jun, 41
Leavenworth, J.: Sept, 46; Dec, 21
Lee, T.: Jul, 9; Aug, 28; Nov, 44
Lennox, T. J., Jr.: Mar, 5
Libutti, B. L.: Nov, 47
Lichtenstein, J.: Apr, 19; Jul, 43
Lloyd, D. M.: Jun, 29
Logsdon, G. S.: Dec, 14
Lyon, S. B.: Apr, 23

M

Manning, P. E.: Jan, 19
Mansfield, F. B.: Jun, 37
Mayack, L. A.: Nov, 35
McCarthy, K. J.: Jun, 41
Millette, J. R.: Dec, 14
Mills, G. D.: Jun, 45

Minchener, A. J.: Jun, 29
Money, K. L.: Aug, 28
Mueller, R. W.: Nov, 47
Myers, R. J.: Jul, 22

N-P

Nakamura, K.: Apr, 38
Nassouri, H. J.: Aug, 38
Nekoska, G.: Mar, 43
Newton, L. E., Jr.: May, 17
Nisanchioglu, K.: Dec, 36
Nishida, H.: Apr, 38
Oldfield, J. W.: Jul, 9
Oswald, K. J.: Jan, 13
Pendley, M. R.: May, 30
Peterson, M. H.: Mar, 15
Pope, D. H.: Apr, 14; Nov, 35
Port, R. D.: Dec, 45
Poulos, C. A.: Aug, 19
Prew, P. F.: Sept, 31

Q, R

Quale, J. C.: May, 46
Reboul, M. C.: Sept, 17
Reichert, L. C.: Aug, 42
Richardson, J. A.: May, 46
Rigdon, J. H.: Feb, 18
Roach, T. A.: Sept, 42
Robinson, M. J.: May, 46
Robinson, P. J.: Feb, 31
Roche, M. C.: Sept, 17
Roebuck, A. H.: Oct, 46
Rolston, J. A.: Mar, 19
Ronat, D.: May, 43

S

Salama, M. M.: Jul, 22
Schick, G.: Apr, 47
Schillmoller, C. M.: Jan, 45
Schuur, P. D.: Jan, 19

Scully, J. R.: Jul, 50
Segan, E. G.: Jun, 24
Siebert, O. W.: Dec, 27
Slauman, Q. J. M.: Aug, 38
Slenski, G.: Mar, 35
Soracco, R. J.: Nov, 35
Sridhar, N.: Dec, 52
Stoecker, J. G.: Aug, 48
Storad, A. S.: Mar, 31
Stringer, J.: Jun, 29
Strutt, J. E.: May, 46
Sudrabin, L. P.: Dec, 44
Szeliga, M. J.: Oct, 24

T, U

Takahashi, H.: Apr, 38
Takeya, F.: Jul, 44
Talbot, D. E. J.: Aug, 34
Thiele, E. W.: Nov, 44
Thomason, W. H.
Tokunaga, S.: Jul, 44
Toncre, A. C.: Aug, 22
Treseder, R. S.: Mar, 9
Tuff, W. F.: Jan, 19
Tuovinen, O. H.: Feb, 21
Uhl, W. K.: May, 30

W-Z

Waldorf, J. H.: Nov, 44
Watson, T. R.: Jan, 29
Wayner, P. C.: Apr, 14
Westcott, C. M.: Jan, 38
Wilde, E. W.: Nov, 35
Wilson, R.: Sept, 26; Dec, 44
Wolf, E. J.: Jan, 13
Yasuda, M.: Jul, 44
Zetlmeisl, M. J.: Jun, 41
Zordan, R. D.: Jan, 19

Corrosion Engineering Directory

<p>ALLIED CORROSION INDUSTRIES</p> <p>Engineering — Construction — Materials Corrosion Specialists & Professional Engineers</p> <p>6180 Atlantic Blvd., Suite 0 Norcross, Georgia 30092 (404) 441-5566</p> <p>4901 Halts Mill Rd. Mobile, AL 36609 (205) 660-1165</p>	<p>BASS ENGINEERING</p> <p>The Reliable Name in Cathodic Protection</p> <p>Engineering Installation Maintenance Materials</p> <p>P.O. Box 5279 Longview, TX 75608 214 - 759-1633</p>	<p>Broadwater Cathodic Protection</p> <p>Complete Cathodic Protection Services</p> <p>Professional Corrosion Engineers NACE Corrosion Specialists</p> <p>Main Office: P.O. Box 8625 1900 Rankin Hwy. Midland, Texas 79706 915-685-1852</p> <p>Branches: Tulsa, Oklahoma 918-456-8444 Houston, Texas 713-686-1666 Ablene, Texas 915-537-2787</p>
<p>Home Office 4411 Navigation Houston, Texas 77011 Ph: (713) 225-6661</p> <p>Brance-Krachy Co., Inc. CATHODIC PROTECTION Materials-Engineering-Supervision-Design</p>	<p>WAYNE BROWLES ENGINEERING CORPORATION</p> <p>COMPLETE CATHODIC PROTECTION OFFSHORE ALSO . . .</p> <p>(713) 223-4811 • P.O. Box 2752 Houston, Texas U.S.A. 77252 TWX: 910-881-1113 CABLE: "WBENGCORP"</p>	<p>CANADA U.S.A. and FOREIGN</p> <p>PH. (403) 468-2878 TLX: 037-42787</p> <p>CABLE "CAPROCO" "A Complete Corrosion Prevention Service"</p> <p>HEAD OFFICE Box 5858 Sta. "L", Edmonton, Alberta Calgary • Houston • Vancouver • Kuwait • London</p>
<p>CPA CATHODIC PROTECTION ASSOCIATES</p> <p>Professional Corrosion Engineers NACE Corrosion Specialists</p> <p>NEBRASKA ROBERT L. BANKS PE—Ph (402) 291-7406 1505 Lawrence Lane Bellevue, NE 68005</p> <p>FLORIDA TOM F. LEWICKI PE—Ph (904) 769-0926 4508 Crestbrook Drive Panama City, FL 32404</p> <p>OHIO CLYDE McWHIRTER PE—Ph (513) 888-6334 1118 Leaf Tree Lane Vandalia, OH 45377</p>	<p>Richard B. Bender Corrosion Associates, Inc.</p> <p>P.O. Box 11302 PL Worth, TX 76110 Ph. (817) 925-4881 or DFW metro 429-9062</p> <p>Qualified Professional Engineers and NACE Accredited Corrosion Specialists with over 45 years of experience in solving corrosion problems.</p> <p>Research, Inhibitor Evaluation, Metallurgical Selection, AC Grounding, Cathodic Protection Design and Installation, Plastic Materials Selection, Forensic Testimony</p> <p>Corrosion can be controlled. Let us help you. TOTAL PROTECTION</p>	<p>CORROSION ENGINEERING SPECIALISTS</p> <p>"FREE CORROSION ANALYSIS"</p> <p>TIM ARNDT (216) 221-1842</p> <p>1343 BEACH PARKWAY # 1 LAKEWOOD, OHIO 44107</p>

